



WL-SF20W-D/WL-SF30W-D/WL-SF40W-D LED Canopy/Soffit Luminaire

Product Description:


The WL-SF series LED Canopy/Soffit Luminaire is specially designed for the buildings wherever there is a gas station or soffit. It provides high lumen efficacy to 140LPW. Provide White / Bronze plate optional, which can be good to fit different internal style of the building. The Damp rated Luminaire is constructed by 2 Parts, make it easy and quick mounting.



White Plate



Bronze Plate




Back View




Side View


Applications:



Under Soffit



Gas station



Enterway

WL-SF20W-D/WL-SF30W-D/WL-SF40W-D LED Canopy/Soffit Luminaire

Features:

Product Name : LED Canopy/Soffit Luminaire

Efficiency 140 lm/w

Voltage input: 100-277V

Housing Material: Painted stamping steel Plate

LED Chips: Bridgelux 2835

CCT Option: 3500K~5700K

Operating Temp: -25°C~ 50°C

Power Factor: >0.90


Certifications: ETL/cETL

Lm80 life Span: >50,000 Hrs

Warranty: 5 years

Product Size: 12inch:250*250*64.8mm/ 15inch:381*381*64.8mm/18inch:457.2*457.2*64.8mm

Dimensions:



WL-SF20W-D/WL-SF30W-D/WL-SF40W-D LED Canopy/Soffit Luminaire

Product Models:

Model	Size	Watt	Lumens Efficiency	Dimmable	CCT Options
WL-SF20W-D(YYYYYK)	457.2*457.2*63.3mm	20W	140Lm/W	0-10V	3500K~5700K
WL-SF30W-D(YYYYYK)	457.2*457.2*63.3mm	30W	140Lm/W	0-10V	3500K~5700K
WL-SF40W-D(YYYYYK)	457.2*457.2*63.3mm	40W	140Lm/W	0-10V	3500K~5700K

Order Information:

eg : WL-SF40W-D(4000K)-BR

Family	Wattage	Dimmable	CCT Options	Options
WL-SF Wisdom Light Soffit Light	20W	D Dimmable	(3500K) 3500K	Blank White Plate
	30W		(4000K) 4000K	BR Bronze Plate
	40W		(4500K) 4500K	
			(5000K) 5000K	
			(5700K) 5700K	

Packing Information:

Item	LED Canopy/Soffit Luminaire
Qty/CTN	4pcs
Carton Dimension	53.5*29.5*54.5CM
NW./CTN	9.28KG
GW./CYN	11.15KG
Qty per Pallet	128PCS
20GP	1440PCS
40GP	2752PCS
40HQ	3104PCS
45HQ	3520PCS